SDMS US EPA REGION V -1

SOME IMAGES WITHIN THIS DOCUMENT MAY BE ILLEGIBLE DUE TO BAD SOURCE DOCUMENTS.

Volume 2 Sauget Area 2 Data Tables/Maps

ARCS Contract No. 68-W8-0086 Work Assignment No. 47-5N60

February 1998

Prepared for:

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

Region 5
Office of Superfund
77 West Jackson Boulevard
Chicago, Illinois 60604

© 1998 Ecology and Environment, Inc.



ecology and environment, inc.

International Specialists in the Environment

33 North Dearborn Street, Chicago, Illinois 60602 Tel. 312/578-9243, Fax: 312/578-9345

SITE NARRATIVE

SITE Q

		SITE	NARRATIVE - SAUGET AREA 2 / Site Q
Sample Locations	Sampling Entity	Date Sampled	Data Source
X101 X111	IEPA	11/9 to 11/10/94	Memo to M. Rebbe (IDPH) from P. Takacs (IEPA) dated 12/30/94 Re: November Sampling with maps and data
QD1 - QD3	E&E	5/27/94	Removal Action Report for Sauget Area 2: Site Q prepared by Ecology and Environment 7/29/94
Pit #1, Pit #2	Riedel	9/89	Ltr. to Carol Ropski (EPA) from R. Burke (Eagle Marine) dated 1/19/95 Re: Response of Eagle Marine Industries to Information Request
B-1, through B-18	E & E	7/93	"Description of Current Situation at the Dead Creek Project Sites" prepared for IEPA by Ecology and Environment, Inc., July 1986
L-1, P-1	IEPA	10/17/72	"Description of Current Situation at the Dead Creek Project Sites" prepared for IEPA by Ecology and Environment, Inc., July 1986
P-2 -	IEPA	4/10/73	"Description of Current Situation at the Dead Creek Project Sites" prepared for IEPA by Ecology and Environment, Inc., July 1986
L-1, L-2	IEPA	10/28/81	"Description of Current Situation at the Dead Creek Project Sites" prepared for IEPA by Ecology and Environment, Inc., July 1986
L101 - L103	IEPA	9/29/83	"Description of Current Situation at the Dead Creek Project Sites" prepared for IEPA by Ecology and Environment, Inc., July 1986
Q201 - Q208	USEPA	1997	Preliminary Ecological Risk Assessment for Sauget Area 2: Site Q prepared by USEPA 1997

SITE NARRATIVE - SAUGET AREA 2 / Site Q

Nature and Extent of Contamination:

Southern Portion of Site O (samples X101-X111 and O203-O208):

VOC concentrations in soils ranged from 0.008 to 0.29 mg/kg for 5 of the 11 samples analyzed for these parameters. BNA concentrations ranged from 0.38 to 1.9 mg/kg for 5 of the 11 samples collected. Pesticides were not detected in any of the 11 samples analyzed for these parameters. PCB concentrations ranged from 0.06 to 223 mg/kg for 14 of 17 samples collected.

The samples collected from the southern portion of Site Q are collected from depressional areas. These depressional areas have been identified by IEPA as apparent disposal areas and not all of the property south of the Alton & Southern Railroad has been sampled or characterized. The extent of surficial contamination in the southern portion of Site Q (south of the Alton & Southern Railroad) is fairly well defined laterally. However, there are no subsurface soils to help delineate the extent of vertical contamination.

Northern Portion of Site Q (all samples north of the Alton & Southern Railroad):

Waste samples (QD1 to QD3) collected in drums adjacent to the river at Site Q revealed a BNA concentration of 534 mg/kg in one sample, and PCB concentrations ranged from 180,000 to 260,000 mg/kg for the drum samples collected.

Surface water samples (P1 and P2) collected on Site Q did not contain appreciably high concentrations of metals. These samples were not analyzed for organic parameters. Pond sediments (Q201 and Q202) collected in the center of Site Q had PCB concentrations which ranged from 1.8 to 4.6 mg/kg for the two samples.

BNA concentrations in leachate samples (from samples L-1, L-2, L101, L102, and L103) were 5 μ g/L for 2 of the 5 samples collected. The leachate samples were not analyzed for VOCs, and pesticides were not detected in any of the 5 samples. PCB concentrations ranged from 0.1 to 1.0 μ g/L for 4 of the 5 samples collected. Metals, particularly As, Cr, Cu, Pb, and Zn, were elevated in a few of these samples.

VOC concentrations in the subsurface soils (from borings B-1 to B-18 and Pits 1 & 2) ranged from 0.02 to 5,855 mg/kg for 28 of the 36 samples collected. BNA concentrations ranged from 3.8 to 15,190 mg/kg for 34 of the 36 samples collected. Pesticide concentrations were 0.1 and 3.3 mg/kg for 2 of the 35 samples collected. PCB concentrations ranged from 0.002 to 16,000 mg/kg for 32 of the 36 samples collected. Dioxin (2,3,7,8-TCDD) concentrations in subsurface soil samples ranged from 0.0001 to 0.0033 mg/kg in two of the 35 samples analyzed for this parameter.

The extent of contamination in the southern portion of Site Q (south of the Alton & Southern Railroad) is fairly well defined laterally in and around the depressional areas identified by IEPA. However, there are no subsurface soils to help delineate the extent of vertical contamination. The extent of contamination in the central portion of Site Q is poorly defined. Wastes have been initially identified through sampling of drum samples and leachate but surface and subsurface soil samples are lacking in this area. The extent of contamination in the northern portion of Site Q, adjacent to Site R is well defined through multiple soil borings and subsurface soil samples.

Containment and Integrity (if known):

There is no known containment for site Q. Wastes are present at the surface in the southern portion of Site Q. The northern portion is covered primarily with cinders. Access to this site is unrestricted.

Other Comments: See the attached "Site Description" for more site details.

SITE DESCRIPTION - Sauget Area 2/Site Q

Site Q is an inactive waste disposal facility in Sauget and Cahokia. The facility, which was operated by Sauget & Company between 1966 and 1973, covers approximately 90 acres. The site is located on the east bank of the Mississippi River and is on the river side of the flood control levee. Most of Site Q is occupied by the Pillsbury Company, which operates a coal and grain unloading and transfer facility. The northern half of the site contains coal and cinders while the southern portion is unoccupied. A railroad spur divides the site and several ponds exist on site. Site Q was operated without a permit. The north side was registered with the IDPH in 1967, prior to formation of IEPA. The site is presently covered with black cinders which makes it highly permeable. Site Q is presently being leased to the Pillsbury Co. by its owners the Riverport Terminal and Fleeting Co.

The following is a chronology of events for site Q as discovered in the file information search:

1966

Disposal operations began in the northern most portion of site Q. A flyash pond operated by Union Electric existed at the area immediately south of the Monsanto Chemical dump (Site R).

1968 - 1972

Septic tank pumping and general municipal refuse were accepted at the site.

Early 1970s

IEPA inspections documented several violations of the Illinois Environmental Protection Act, including open burning, using unsuitable cover materials (cinders and flyash), and disposal of liquid chemical wastes.

April 1971

IEPA filed a complaint against Sauget & Co.. The company was ordered to cease open burning, using flyash and cinders for cover materials, and accepting liquid chemical wastes.

May 1971

The Illinois Pollution Control Board issued an order to Sauget & Company to discontinue the use of cinders and flyash for final cover.

September 1971 - August 1971

IEPA conducted monthly inspections at the site. During this time they cited inadequate daily and final cover, and the disposal of liquid wastes.

July 1972

An IEPA inspection revealed a smoldering underground fire.

August 1972

Leach tests of the cinder cover was performed by IEPA. The material was found to be inadequate in terms of permeability of material and its high metal content.

October 1972

The fire which began in July 1972, finally went out. The fire smouldered continuously from July to October despite repeated attempts to extinguish it.

1972

Sauget & Company applied for a permit to extend the existing landfill to an area south of the Alton & Southern Railroad. IEPA denied all permit applications to the southern site extension. Approval was never issued by IEPA, however Sauget & Company used this area for disposal.

October 1972

IEPA collected two soil samples from Site Q. One was from ponded water, the other was a leachate sample. Results indicated the presence of metals including lead andmercury.

January 1973

Groundwater samples were collected from two monitoring wells.

March 1973

Mississippi River flood waters inundated Site Q. The flood conditions lasted until May 1973.

April 1973

Samples of ponded water collected by IEPA on two separate occasions.

November 1973

The Illinois Secretary of State revoked the authority of Sauget & Co. to transact business in the State of Illinois.

January 1975

Disposal activities were completed at Site Q by this time.

September 1976

An IEPA inspection of Site Q revealed and underground fire at the site. The fire smoldered for approximately 1 month.

May 1977

The Illinois Pollution Control Board filed suit #77-84 against Sauget & Co. and Paul Sauget. A monetary penalty was invoked and Sauget & Co. was ordered to put a two foot layer of suitable cover material to cap the entire site by February 1981.

May 1980

IEPA was notified that drums and chemical wastes were uncovered during excavation along a railroad spur.

May 1981

In response to Sauget's failure to comply with order #77-84 and alleging several violations of the Illinois Environmental Protection Act, the Illinois Attorney General filed suit against Sauget & Co.

October 1981

IEPA sampled leachate seeps from the banks of the river. Results indicated high levels of organic contaminants.

June 1983

A subsurface investigation at Site Q was initiated by a USEPA FIT Contractor. Over half of the organics analyzed for in the samples were detected including 2,3,7,8-TCDD in two samples. A geophysical investigation was completed by Technos of Miami, Florida.

September 1983

IEPA took more leachate seep samples from the bank of the river. The results were similar to the results in October 1981.

March 1985

The Illinois Attorney Generals' office reentered a suit against Sauget & Company. The IAG's office ordered final cover to be applied at the site and also requested a civil penalty.

March 1987

E & E took nine samples from eight monitoring wells at site Q. Monitoring wells were also sampled in area adjacent to site Q.

Subsequent to 1987, several investigative and significant environmental events have taken place. In 1992, Monsanto conducted sampling at the south end of Site R, on the Site Q property. In 1994, most of site Q was innundated by the Mississippi River flood waters. IEPA and USEPA conducted sampling in the depressional areas at the southern portion of Site Q in 1994 and 1997, respectively. In addition to sampling activities, construction of offices and storeage areas for a landscaping firm has taken place in the northern and central portions of Site Q.

(Note: All information above was excerpted from a document with the heading of "Background" which was taken off microfiche from the IEPA file records)

SURFACE SOIL SAMPLES Volatile Organic Compounds (µg/kg) Collected by IEPA (11/9-10/94)

<u>Yo</u>				Conceica B	J 1231 11 (11/)	10/24)					
ycled paper	Sample Number	X101	X102	X103	X104	X105	X106	X107	X108	X109	X110
<u> </u>											
<u>voc</u>											
Chloromethane		ND	ND	ND_	ND	ND	ND	ND	ND	ND	ND
Bromomethane		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Vinyi chloride		ND	ND	ND	ND .	ND	ND	ND	ND	ND	ND
Chioroethane		ND	ND	ND_	ND	ND	ND	ND	ND	ND	ND
Methylene chloride		15	6 J	ND_	ND	5 J	ND	ND	6 J	ND	12 J
Acetone		ND	ND	ND	ND	27	ND	ND	ND	ND	ND
Carbon Disuifide		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1-Dichloroethene		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1-Dichloroethane		24	ND	ND_	ND	ND	ND	ND	ND	ND	ND
1,2-Dichloroethene (total)		240	ND	ND	ND	ND	ND	ND	ND	ND	ND
Chioroform		ND	10 J	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dichloroethane		ND	ND	ND	ND	ND	ND	ND	ND	ND_	ND
2-Butanone		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1,1-Trichloroethane		10 J	ND	ND	ND	ND	18	ND	ND	ND	ND
Carbon Tetrachloride		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Vinyl Acetate		ND	ND	ND_	ND	ND	ND	ND	ND	ND	ND
Bromodichloromethane		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dichloropropane		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
trans-1,3-Dichloropropene		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Trichloroethene		6 J	ND	ND	ND	ND	ND	ND	ND	ND	ND
Dibromochloromethane		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1,2-Trichloroethane		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Benzene		5 J	ND	ND	ND	ND	ND	ND	ND	ND	ND
cis-1,3-Dichloropropene		ND	ND	ND	ND	ND	ND_	ND	ND	ND	ND
2-Chloroethyl Vinyl Ether Bromoform		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
∯ Bromoform		ND	ND	ND_	ND	ND	ND	ND	ND	ND	ND
≅ 4-Methyl-2-pentanone		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND ND
2-Hexanone		ND	ND	ND	ND	ND	ND	ND ND	ND	ND	ND
Tetrachioroethene		ND	ND	ND	ND	5 J	ND	ND	ND	ND	ND
1,1,2,2-Tetrachloroethane		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Toluene		8 J	ND	ND	ND	14	ND	ND	ND	ND	8 J
Chlorobenzene		ND	ND D	ND	ND	ND	ND	ND	ND	ND	ND
Ethylbenzene		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Styrene		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Total Xylenes		ND	ND	ND	ND	14	ND	ND	ND	ND	ND

µg/kg - Micrograms per kilogram.

J - Estimated value.

ND - Not detected.

SURFACE SOIL SAMPLES Volatile Organic Compounds (µg/kg) Collected by IEPA (11/9-11/10/1994)

	Sample Number	X111	Maximum
			Detected
voc			
Chioromethane		ND	ND
Bromomethane		ND	ND
Vinyl chloride		ND	ND
Chloroethane		ND	ND
Methylene chloride		ND	15
Acetone		ND	27
Carbon Disulfide		ND	ND
1,1-Dichloroethene		ND	ND
1,1-Dichloroethane		ND	24
1,2-Dichloroethene (total)		ND	240
Chloroform		ND	10 J
1,2-Dichloroethane		ND	ND
2-Butanone		ND	ND
1,1,1-Trichioroethane		ND	18
Carbon Tetrachloride		ND	ND
Vinyl Acetate		ND	ND
Bromodichloromethane		ND	ND
1,2-Dichloropropane		ND	ND
trans-1,3-Dichloropropene		ND	ND
Trichloroethene		ND	6 J
Dibromochloromethane		ND	ND
1,1,2-Trichloroethane		ND	ND
Benzene		ND	5 J
cis-1,3-Dichioropropene		ND	ND
2-Chloroethyl Vinyl Ether		ND	ND
Bromoform		ND	ND
4-Methyl-2-pentanone		ND	ND
2-Hexanone		ND	ND
Tetrachloroethene		ND	5 J
1,1,2,2-Tetrachloroethane		ND	ND
Toluene		ND	14
Chlorobenzene		ND	ND
Ethylbenzene		ND	ND
Styrene		ND	ND
Total Xylenes		ND	14

µg/kg - Micrograms per kilogram.

J - Estimated value.

ND - Not detected.

SURFACE SOIL SAMPLES Base Neutrals/Acids (µg/kg) Collected by IEPA (11/9-10/94)

	Sample Number	X101	X102	X103	X104	X105	X106	X107	X108	X109	X110 ·
	Sample Homber	X101	A102	7100	7107	2103	X100	X107	A108	×109	X110 ·
BNAs						 -	 				
DIVAS						 	 	 			
Phenoi		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
bis(2-Chioroethyl)ether		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
2-Chlorophenol		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,3-Dichlorobenzene		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,4-Dichiorobenzene		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Benzyl Alcohol		ND	ND	ND	ND	ND	ND	ND	ND	ND	NĐ
1,2-Dichlorobenzene		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
2-Methylphenol .	`	ND	ND	ND	ND	ND	ND	270 J	ND	ND	ND
bis(2-Chioroisopropyl)ether		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
4-Methylphenol		ND	ND	ND	ND	ND	ND	280 J	ND	ND	ND
N-Nitroso-n-Dipropylamine		ND	ND	ND	ND	ND .	ND	ND	ND	ND	ND
Hexachloroethane		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Nitrobenzene		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Isophorone		ND	ND	ND	ND	ND	ND	210 J	ND	ND	ND
2-Nitrophenol		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
2,4-Dimethylphenoi		ND	ND	ND	ND	ND	ND	270 J	ND	ND	ND
Benzoic Acid		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
bis-(2-Chloroethoxy)methane		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
2,4-Dichlorophenol		ND	ND	МD	ND	ND	ND	ND	ND	ND	ND
1,2,4-Trichlorophenol		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Naphthalene		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
4-Chloroaniline		ND	ND	ND	ND	ND	ND	ND	DM	ND	ND
Hexachlorobutadiene	*	ND	ND	ND	ND	ND	ND	ND	160 J	ND	ND
4-Chloro-3-methylphenol		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
2-Methylnaphathalene		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Hexachlorocyclopentadiene		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
2,4,6-Trichiorophenol		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
2,4,5-Trichlorophenol		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
2-Chloronaphthalene		ND	ND	ND	ND	ND	ND	ND	ND	ND	NĐ
2-Nitroaniline		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Dimethyl Phthalate		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Acenaphthylene		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
3-Nitroaniline		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Acenaphthene		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND

µg/kg - Micrograms per kilogram.

B - Compound detected in blank sample.

J - Estimated value.

ND - Not detected.

SURFACE SOIL SAMPLES Base Neutrals/Acids (µg/kg) Collected by IEPA (11/9-10/94)

	Sample Number	X101	X102	X103	X104	X105	X106	X107	X108	X109	X110
											· · · ·
BNAs				· · · · · · · · · · · · · · · · · · ·					 		
2,4-Dinitrophenol		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
4-Nitrophenol		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Dibenzofuran 2.4-Dinitrotoluene		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	<u> </u>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
2,6-Dinitrotoluene		ND	ND ND	ND	ND	ND	ND	ND	ND	ND	ND
Diethylphthalate		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
4-Chlorophenyl-Phenylether		ND	ND	ND	ND ND	ND	ND	ND	ND	ND	ND
Fluorene 4-Nitroaniline		ND	ND	ND	NO	NO	ND	ND	ND	ND	ND
4,6-Dinitro-2-methylphenol		ND	ND	ND	ND	ND	ND	ND	NO	ND	ND
N-Nitrosodiphenylamine	<u></u>	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
4-Bromophenyi-phenyiether		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Hexachlorobenzene		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Pentachiorophenol		ND ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Phenanthrene		ND	ND	ND	ND	ND	ND	ND	ND	76 J	ND
Anthracene		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Carbazole		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Di-n-butly phthalate		ND	ND	ND	ND	ND	ND	ND	340 J	310 J	380 J
Fluoranthene		ND	ND	ND	ND	ND	ND	ND	ND	160 J	ND
Pyrene		ND	ND	ND	ND	ND	ND	ND	ND	170 J	ND
Butyl Benzyl phthalate		ND	ND	ND	ND	ND	ND	120 J	ND	ND	ND
3,3'-Dichlorobenzidine		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Benzo (a)anthracene		ND	ND	ND	ND	ND	ND	ND	ND	89 J	ND
bis(2-ethylhexyl)phthalate		1200000 B	13000 B	9300 B	110000000 B	13000 B	120000 B	1900 B	3800 B	310 JB	1000 B
Chrysene		ND	ND	ND	ND	ND	ND	ND	ND	110 J	ND
Di-n-octyl phthalate		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Benzo(b)fluoranthene		ND	ND	ND	ND	ND	ND	ND	ND	87 J	ND
Benzo(k)fluoranthene		ND	ND	ND	ND	ND	ND	ND	ND	96 J	ND
Benzo (a)pyrene		ND	ND	ND	ND	ND	ND	ND	ND	84 J	ND
indeno(1,2,3-cd)pyrene		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Benzo(g,h,i)perylene		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Dibenzo(a,h)anthracene		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND

μg/kg - Micrograms per kilogram. B - Compound detected in blank sample.

J - Estimated value.

ND - Not detected.

Page 3 of 4

SURFACE SOIL SAMPLES
Base Neutrals/Acids (µg/kg)
Collected by IEPA (11/9-10/94)

			Detected
BNAs			
Phenol		QN	Q
bis(2-Chloroethyl)ether		Q	S
2-Chlorophenol		Q	Q
1,3-Dichlorobenzene		QN	Q
1,4-Dichlorobenzene		QN	Q
Benzyl Alcohol		Ş	Q
1,2-Dichlorobenzene		Ş	ON
2-Methylphenol		Q	270 J
bis(2-Chloroisopropyl)ether		QN	Q
Methylphenol		Q	Z80 J
N-Nitroso-n-Dipropylamine		Q	QN
Hexachloroethane		Q	Q
Nttrobenzene		2	Q
sophorone		2	210 J
2-Nitrophenol		QN	Q
2,4-Dimethylphenol		QN	270 J
Benzoic Acid		QN	QN
bis-(2-Chloroethoxy)methane		Q	Q
2,4-Dichlorophenol		QN	Q
1,2,4-Trichlorophenol		QN	Q
Naphthalene		QN	Q
4-Chloroaniline		QN	QN
Hexachlorobutadiene		QN	160 J
4-Chloro-3-methylphenol		QN	Q
2-Methyinaphathalene	•	QN	QN
Hexachlorocyclopentadiene		Q	QN
2,4,8-Trichlorophenol		QN	QN
2,4,5-Trichlorophenol		QN	QN
2-Chloronaphthalene		Q	ON
2-Nitroaniline		QN	Q
Dimethyl Phthalate		QN	QN
Acenaphthylene		ON	QN
3-Nitroaniline		ON	QN
A		9.4	2

upykg - Micrograms per kilogram.

B - Compound detected in blank sample.

J - Estimated value.

ND - Not detected.

SURFACE SOIL SAMPLES Base Neutrals/Acids (µg/kg) Collected by IEPA (11/9-10/94)

	Sample Number	X111	Maximum
			Detected
BNA:			
2,4-Dinitrophenol		ND	ND
4-Nitrophenol		ND	ND
Dibenzofuran		ND	ND
2.4-Dinitrotoluene		ND	NĎ
2.8-Dinitrotoluene		ND	ND
Diethylphthalate		ND	ND
4-Chlorophenyl-Phenylether		ND	ND
Fluorene		ND	ND
4-Nitroaniline		ND	ND
4,6-Dinitro-2-methylphenol		ND	ND
N-Nitrosodiphenylamine		ND	ND
4-Bromophenyl-phenylether		ND	ND
Hexachlorobenzene		ND	ND
Pentachiorophenol		ND	ND
Phenanthrene		73 J	76 J
Anthracene		62 J	62
Carbazole		ND	ND
Di-n-butly phthalate		250 J	380 J
Fluoranthene		140 J	160 J
Pyrene		140 J	170 J
Butyi Benzyi phthalate		ND	120 J
3,3'-Dichlorobenzidine		ND	ND
Benzo (a)anthracene		ND	89 J
bis(2-ethylhexyl)phthaiste		1500	110000000 B
Chrysene		110 J	110 J
Di-n-octyl phthalate		ND	ND
Benzo(b)fluoranthene		110 J	110 J
Benzo(k)fluoranthene		88 J	96 J
Benzo (a)pyrene		ND	84 J
Indeno(1,2,3-cd)pyrene		ND	ND
Benzo(g,h,i)perylene		ND	ND
Dibenzo(a,h)anthracene		ND	ND

μg/kg - Micrograms per kilogram B - Compound detected in blank sample

J - Estimated value.

ND - Not detected.

SURFACE SOIL SAMPLES Pesticides/PCBs/Herbicides (µg/kg) Collected by IEPA (11/9-10/94)

	Sample Number	X101	X102	X103	X104	V405	V400	V407			
	Sample Number		X102	X103	X 104	X105	X106	X107	X108	X109	X110
Pesticides/PCBs					 						
Pesticides/PCBs											
Alpha-BHC		ND	ND	ND	ND	ND	ND	ND	DM	DM	DM
Beta-BHC		ND	ND	ND	ND	ND	ND	ND	DM	DM	DM
Delta-BHC		ND	ND	ND	ND	ND	ND	ND	DM	DM	DM
Gamma-BHC (Lindane)		ND	ND	ND	ND	ND	D	ND	DM	DM	DM
Heptachlor		ND	ND	ND	ND	ND	ND	ND	DM	DM	DM
Aldrin		ND	ND	ND	ND	ND	ND	ND	DM	DM	DM
Heptachlor Epoxide		ND	ND	ND	ND	ND	ND	ND	DM	DM	DM
Endosulfan I		ND	ND	ND	ND	ND	ND	ND	DM	DM	DM
Dieldrin		ND	ND	ND	ND	ND	ND	ND	DM	DM	DM
4,4'-DDE		ND	ND	ND	ND	ND	ND	ND	DM	DM	DM
Endrin		ND	ND	ND	ND	ND	ND	ND	DM	DM	DM
Endosulfan II		ND	ND	ND	ND	ND	ND	ND	DM	DM	DM
4,4'-DDD		ND	ND	ND	ND	ND	ND	ND	DM	DM	DM
Endosulfan sulfate		ND	ND	ND	ND	ND	ND	ND	MG	DM	DM
4,4'-DDT		ND	ND	ND	ND	ND	ND	ND	DM	DM	DM
Methoxychlor		ND	ND	ND	ND	ND	ND	ND	DM	DM	DM
Endrin Ketone		ND	ND	ND	ND	ND	ND	ND	DM	DM	DM
Chiordane		ND	ND	ND	ND	ND	ND	ND	DM	DM	DM
Toxaphene		ND	ND	ND	ND	ND	ND	ND	DM	DM	DM
Aroclor-1016		ND	ND	ND	ND	ND	ND	ND	DM	DM	DM
Aroclor-1221	•	ND	ND	ND	ND	ND	ND	ND	DM	DM	DM
Arocior-1232		ND	ND	ND	ND	ND	ND	ND	DM	DM	DM
Aroclor-1242		ND	ND	ND	ND	ND	ND	ND	DM	DM	DM
Aroclor-1248		ND	ND	500	ND	ND	ND	4800 P	DM	DM	DM
Aroclor-1254		110000 P	1100 P	2300	14000 P	22000	1700 P	11000 E	DM	DM	DM
Arocior-1260		83000	460	1500	12000	6500 P	2300	8800 PE	DM	DM	DM

µg/kg - Micrograms per kilogram.

- DM Data missing
 E Estimated value. Concentration detected exceeds the calibrated range
 P Greater than 25% difference exists for the detected concentrations between P - Greater than 25% differnce exists for the detected concentrations between the two GC columns. The lower of the results is reported.

SURFACE SOIL SAMPLES Pesticides/PCBs/Herbicides (µg/kg) Collected by IEPA (11/9-10/94)

	Sample Number	X111	Maximum
			Detected
Pesticides/PCBs			
Alpha-BHC		DM	ND
Beta-BHC		DM	ДИ
Delta-BHC		DM	ND
Gamma-BHC (Lindane)		DM	ПO
Heptachlor		DM	ND
Aldrin		DM	ND
Heptachlor Epoxide		DM	ИD
Endosulfan i		DM	ND
Dieldrin		DM	ND
4,4'-DDE		DM	ND
Endrin		DM	ND
Endosulfan II		DM	ND
4,4'-DDD		DM	ND
Endosulfan sulfate		DM	ND
4,4'-DDT		DM	ND
Methoxychior		DM	ND
Endrin Ketone		DM	ND
Chlordane		DM	ND
Toxaphene		DM	ND
Aroclor-1016		DM	ND
Aroclor-1221		DM	ND
Aroclor-1232		DM	ND
Arocior-1242		DM	ND
Aroclor-1248		DM	4800 P
Arocior-1254		DM	110000 P
Aroclor-1260		DM	83000

µg/kg - Micrograms per kilogram.

DM - Data missing.

E - Estimated value. Concentration detected exceeds the calibrated range.

P - Greater than 25% difference exists for the detected concentrations between the two GC columns. The lower of the results is reported.

Total Metals (mg/kg) Collected by IEPA (11/9-10/94) SURFACE SOIL SAMPLES

led	Sample Number	X101	X102	X103	X104	X105	X106	X107	X108	×109	011X -
Total Metals											
		. 00201	6740 •	. 9740	1500 .	237	. 0300	. 000	. 0250	. 0033	. 0204
Mullimund		17.63	2	17000 110	9	2	9	8	3	200	300
Anumony		2 2 2	ON THE PERSON	200 1100	2000		200			2	20.75
Arsenic		13.7 N B	LA DN S	CN BL7	WND O'I	U.4/ GN	0.83 BN	2.7 N.S	2.3 N.S	S.N.S	38.3 N.S
Barium		1220 N°	141 N*	1680 N°	63.3 N°	188 N°	3620 N*	103 N°	150 N°	123 N*	1120 N
Beryllium		0.54 B	0.49 B	0.3 8	0.31 B	Q	QN.	0.44 B	Q	0.47 8	2
Cadmium		. 0922	3.9	8.7	1.1 B*	1.4	1.5 •	28.7 •	. 9	1.9 ·	1.2 B
Calcium		13400	18000	10300	152000	456 B	1320	4360	2090	9070	413 8
Chromium		. 0990	12.1	142 ·	5.8	3.		287	43.9 ·	10.4 *	8.04
Cobalt		18.7	7.4 B	13.3 B	2.9 B	QN	9.7.B	8.2 B	8.7 8	8 8	6.9 B
Copper		324	18.7	1630	7.6	2.8 B	6	32.8	166	21.6	226
, nou		. 00919	11600 -	. 00508	. 0979	. 697	- 0/12	. 52500	7920 •	10900	. 00299
Dee 1		7690	162 ·	195000 -	18100 •	62.2 ·	1.14	191 -	571 ·	. 25	5320 -
Magnesium		2940	4250	1380	4600	56.9 B	2350	2040	1230 B	2830	89.9 B
Manganese		909	372	1270	275	4	62.3	334	133	455	152
Mercury		4.9	QN	0.25	ON	QN	91:0	QV	0.3	QN	0.64
Nickel		163 N°	17.6 N°	101 N°	8.1 BN*	QN	.NG 9'9	23.1 N°	18.7 N°	18.9 N*	371 N°
Potassium		1310 B	1030 B	446 B	804 B	Q	301 B	896 B	698 B	940 B	2430
Selenium		8. 6.69	Q	Q	QN	2.1 B*	QN	1.5 'S	0.33 B*W	ON	Q
Silver		3.3 N	ON	30.2 N	QN	NO	QN	Q	ON	QN	28.9 N
Sodium		268 8	QN	QN	810 B	N	QN	Q	Q	Q	476 B
Thattium		Q	Q	0.89 B	Q	ON	QV	Q	Q	Q	Q
Vanadium		7.3 B	16	ND	7.6 B	ON	10 B	13.8	9.18	13.6 B	Q
Zinc		7290 •	689	9520 .	. 98	10.8	. 1.99	2010	338 .	- 506	120 .
Cyanide		3.3	ç	2.8	Q	Q	Q	S	QN	QN	ON
Sulfate		82.4	Q	55.9	Q	907	QN	76.1	170	4780	901
Suffide		QV	Ş	QV	Q	Q	Q	QN	QN	ON	QV

mgkg - Milligrams per kilogram

B - Estimated value. The value is less than the CRDL, but greater than the instrument detection limit

N - Laboratory spike recoveries were outside QC protocols

ND - Not detected.

S - Analysis performed using the method of standard additions

W - Laboratory post-digestion spike for furnace AA analysis exceeds QC limits

* Laboratory duplicate analysis not within control limits

Filename Siteqi-2 xls - Table Soil Total Metals

ecology and environment

SURFACE SOIL SAMPLES
Total Metals (mg/kg)
Collected by IEPA (11/9-10/94)

	Sample Number	X111	Maximum
			Detected
Total Metals			
Aluminum		10100 *	10700 *
Antimony		ND	17900 N°
Arsenic		4.4 BN*S	216 N'S
Barlum		170 N°	3620 N°
Beryllium		0.73 B	0.73 B
Boron		1.9 *	2260 -
Cadmium		11500	152000
Chromium		15.6 *	3650 *
Cobalt		9.7 B	18.7
Copper		38	1630
Iron	***	17100 *	80500 *
Lead		58.1 *	195000 *
Magnesium		3990	4600
Manganese		597	1270
Mercury		ND	4.9
Nickel		25.9 N	371 N°
Potessium		1520	2430
Selenium		NO	59.9 °S
Silver		ND	30.2 N
Sodium		ND	810 B
Thallium		ND	0.89 B
Vanadium		23.1 B	23.1
Zinc		216 *	9520 *
Cyanide		ND	3.3
Sulfate		300	4780
Sulfide		· ND	ND

mg/kg - Milligrams per kilogram

ND - Not detected


B - Estimated value. The value is less than the CRDL, but greater than the instrument detection limit

N - Laboratory spike recoveries were outside QC protocols

S - Analysis performed using the method of standard additions

W - Laboratory post-digestion spike for furnace AA analysis exceeds QC limits

^{* -} Laboratory duplicate analysis not within control limits.



SOIL SAMPLES Semi-Volatiles (μg/kg) Collected by E&E (5/27/94)

	Sample Number	100	QD2	QD3	Maximum
Semi-Volatiles					Concentration
Phenoi		GF 00069	ON	QN	GF 00069
2-Chlorophenol		QC 00029	QN	QN	GL 00078
1,4-Dichlorobenzene		110000 JD	QN	Q	JL 000011
N-Nitroso-di-n-propylamine		GC 00027	QN	QN	42000 JD
1,2,4-Trichlorobenzene		ac 00018	QN	QN	S1000 JD
4-Chloro-3-Methylphenol		GC 00019	ON	QN	QL 00078
Acenaphthene		GC 00077	QN	QN	dr 00077
4-Nitrophenol		24000 JD	QN	QN	ar 000+2
2,4-Dinitrotoluene		GF 00007	QN	QN	OC 00007
Pentachiorophenol		20000 JD	QN	Q	20000 JD

μg/kg : Micrograms per kilogram.

D - Compound concentration is at a secondary dilution factor.

J - Estimated value.

ND - Not detected.

SOIL SAMPLES TCLP Metals (µg/L) Collected by E&E (5/27/94)


	Sample Number	QD1	QD2	QD3	Maximum
Total Metals					Concentration
Arsenic		ND	ND	ND	ND
Barium		320	440	390	440
Cadmium		ND	ND	ND	ND
Chromium		ND	ND	ND	ND
Lead		ND	ND	ND	ND
Mercury		ND	ND	ND	ND
Lead		ND	ND ND	ND	ND
Selenium		ND	ND	ND	ND
Silver		ND	ND	ND	ND

µg/L - Micrograms per liter.

ND - Not detected

SOIL SAMPLES
TCLP Semi-Volatiles (µg/L) and PCBs (mg/kg)
Collected by E&E (5/27/94)

	Sample Number	100	QD2	QD3	Maximum
ICLP and PCB					Concentration
2,4,6-Trichlorophenol		QN	6.3 J	ON	6.3 J
Pentachlorophenol		QN	18 J	Q	16 J
PCB - 1260 (mg/kg)		180000	260000	230000	260000
µg/L - Micrograms per liter					
mg/kg - Milligrams per kilogram.	ć				
J - estimated value					
PCBs - polychlorinated biphenyls	yls				



SOIL SAMPLES (Sampling date not known)

Volatile Organic Compounds (µg/kg)

Collected by Riedel Industrial Waste Management, Inc.

	Sample Number	PiT #2	Maximum
	Sample Humber	777.72	Concentration
voc			
cellege. Live of it.			
Chloromethane		ND	ND
Bromomethane		NĐ	ND
Vinyl chloride		ND	ND
Chloroethane		ND	ND
Methylene chloride		ND	ND
Carbon Disulfide		ND	ND
1,1-Dichloroethene		ND	ND
1,1-Dichloroethane	100	ND	ND
1,2-Dichloroethene (total)		ND	NĎ
Chloroform		69000	69000
1,2-Dichloroethane		ND	ND
2-Butanone		30200	30200
1,1,1-Trichloroethane		ND	ND
Carbon Tetrachloride		ND	ND
Vinyi Acetate		ND	ND
Bromodichloromethane		ND	ND
1,2-Dichloropropane		ND	ND
cis-1,3-Dichloropropene	(10.000 december 10.000 decemb	ND	ND
Trichloroethene		ND	ND
Dibromochloromethane		ND	ND
1,1,2-Trichioroethane		ND	ND
Benzene	10000	ND	ND
trans-1,3-Dichloropropene		ND	ND
Bromoform		ND	ND
4-Methyl-2-pentanone		ND	ND
2-Hexanone		ND	ND
Tetrachioroethene	, i	ND	ND
1,1,2,2-Tetrachioroethane		ND	ND
Toluene		5500	5500
Chlorobenzene		15700	15700
Ethylbenzene		2780	2780
Styrene	200	ND	ND
Total Xylenes		6300	6300

µg/kg - Micrograms per kilogram

ND - Not detected

SOIL SAMPLES (Sampling date not known)

Base Neutrals/Acids (µg/kg)

Collected by Riedel Industrial Waste Management, Inc.

	Sample Number	PIT#1	Maximum
			Concentration
BNAs			
Phenol		ND	ND
bis(2-Chioroethyi)ether		ND	ND
2-Chlorophenol		ND	ND
1,3-Dichlorobenzene		ND	ND
1,4-Dichlorobenzene		ND	ND
Benzyl Alcohol		_ ND	ND
1,2-Dichlorobenzene		ND	ND
2-Methylphenol		ND	ND
bis(2-Chloroisopropyi)ether		ND	ND
4-Methylphenol		ND	ND
N-Nitroso-n-Dipropylamine		ND	ND
Nitrobenzene		ND	ND
Isophorone		ND	ND
2-Nitrophenol		ND	ND
2,4-Dimethylphenol		ND	ND
Benzoic Acid		ND	ND
bis-(2-Chloroethoxy)methane		ND	ND
2,4-Dichlorophenol		ND	ND
1,2,4-Trichlorophenol		ND	ND
Naphthalene		ND	ND
4-Chloroaniline		ND	ND
Hexachlorobutadiene		ND	ND
4-Chloro-3-methylphenol		ND	ND
2-Methylnaphthalene		ND	ND
Hexachlorocyclopentadiene		ND	ND
2,4,6-Trichlorophenol		ND	ND
2,4,5-Trichlorophenol		ND	ND
2-Chioronaphthalene		ND	ND
2-Nitroaniline		ND	ND
Dimethyl Phthalate		ND	ND
Acenaphthylene		ND ND	ND
3-Nitroaniline		ND	ND
Acenaphthene		ND	ND

µg/kg - Micrograms per kilogram

ND - Not detected.

SOIL SAMPLES (Sampling date not known) Base Neutrals/Acids (µg/kg) Collected by Riedel Industrial Waste Management, Inc.

	Sample Number	PIT#1	Maximum
			Concentratio
BNAs			
			· · · · · · · · · · · · · · · · · · ·
2,4-Dinitrophenol		ND	ND
4-Nitrophenol		ND	ND
Dibenzofuran		ND	ND
2,4-Dinitrotoluene		ND	ND
2,6-Dinitrotoluene		ND	ND
Diethylphthalate		ND	ND
4-Chiorophenyl-Phenylether		ND	ND
Fluorene		ND	ND
4-Nitroaniline		ND	ND
4,6-Dinitro-2-methylphenol		ND	ND
N-Nitrosodiphenylamine		ND	ND
4-Bromophenyi-phenylether		ND	ND
Hexachlorobenzene		ND	ND
Pentachlorophenol		ND	ND
Phenanthrene		ND	ND
Anthracene		ND	ND
Di-n-butly phthalate		ND	ND
Fluoranthene		ND	ND
Pyrene		ND	ND
Butyl Benzyl phthalate		ND	ND
3,3'-Dichlorobenzidine		ND	ND
Benzo (a)anthracene		ND	ND
bis(2-ethylhexyl)phthalate		ND	ND
Chrysene		ND	ND
Di-n-octyl phthalate		ND	ND
Benzo(b)fluoranthene		ND	ND
Benzo(k)fluoranthene		ND	ND
Benzo (a)pyrene	100000	ND	ND
Indeno(1,2,3-cd)pyrene		ND	ND
Benzo(g,h,i)perylene		ND	ND
Dibenzo(a,h)anthracene		ND	ND

SOIL SAMPLES (Sampling date not known)

Collected by Riedel Industrial Waste Management, Inc.

	Sample Number	PIT #2	Maximum
			Detected
Test Performed			
EP Extraction		ND	ND
RCRA Metals (mg/kg)	-		ND
Arsenic		<0.4	ND
Barium		27.8	27.8
Cadmium		<0.5	ND
Chromium		<0.5	ND
Lead		<0.5	ND
Mercury		<0.1	ND
Selenium		<0.2	ND
Silver		<0.5	ND
Ignitability (setflash)			-
Corrosivity (pH)			
Cyanide		<u></u>	
Sulfides			
Phenois			
7			
PCB Contamination (mg/kg)		342	342

mg/kg - Milligrams per kilogram ND - Not detected

SOIL SAMPLES Organics (µg/kg)

Collected by Ecology & Environment, Inc. (7/83)

ri C									
ecvoled	Sample Number	B1A	B1B	B2A	82B	B3A	B3B	B4A	B4B
₹	Sample Depth(ft)	10 -11 5	17.5 - 19	13 5 - 15 5	17 - 19	10 - 12	135-155	10 - 12	13 5 - 15 5
Organics									
2. 3. 7. 8-TCDD						i			
2, 3, 7, 8-TCDD		ND	ND	ND	ND	ND	ND	ND	3.31
2, 4, 6-trichlorophenol		2500	170000	22000	520	1400	1500	ND	94000
2-chlorophenol		24000	65000	800	ND	1500	LT	57000	360000
2, 4-dichlorophenol		66000	3100000	31000	1700	760	4500	ND	370000
2, 4-dimethylphenol		ND	ND	500	ND	ND	ND	ND	72000
4, 6-dinitro-2-methylphenol		ND	ND	ND	ND	ND	ND	ND	ND
pentachiorophenol		ND	86000	5400	LT	ND	11000	ND	100000
phenol		24000	55000	45000	4400	3200	100000	98000	88000
2-methylphenoi		ND	ND	ND	ND	ND	ND	ND	ND
4-methylphenol		ND	ND	LŤ	ND	560	LT	ND	330000
2, 4, 5-trichlorophenol		ND	ND	ND	LT	ND	ND	ND	ND
acenaphthene	1	ND	ND	1200	2800	ND	ND	ND	ND
1, 2, 4-trichlorobenzene		ND ND	ND	ND	480	ND	ND	LT	100000
1, 2-dichlorobenzene		LT	ND	LT	ND -	ND	LT	ND	20000
1, 4-dichlorobenzene		NO NO	ND ND	1800	720	LT	760	LT	86000
fluoranthene		ND	ND	ND	1200	ND	ND	ND	LŢ
isophorone		ND	ND	ND	ND	ND	ND	ND	ND
naphthalene		ND	ND	11000	8300	ND	ND	ND	LT
nitrobonzene	ļ l	ND	8800	400	ND ND	ND NO	ND	ND	56000
N-nitrosodiphenylamine		ND	ND	ND	ND	ND ND	ND ND	ND	ND
bis(2-ethylhexyl)phthalate	·	ND	ND ND	ND HB	LT	ND ND	ND	ND	62000
butyl benzyl phthalate		ND	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	ND
di-n-butyl phthalate		ND	ND	ND	ND ND	ND ND	ND ND	ND	LT
di-n-octyl phthalate	 	ND	ND ND	ND ND	ND ND	ND ND	ND ND	ND	ND ND
diethyl phthalate		ND ND	ND	ND	ND ND	ND		ND ND	ND ND
benzo(a)anthracene		ND ND	ND ND	ND	ND ND	ND ND	ND ND	ND ND	ND ND
benzo(a)pyrene		ND ND	ND	ND ND	ND ND	ND	ND ND	ND D	ND ND
benzo(b)fluoranthene			ND ND	ND ND	ND ND	ND	ND ND	ND ND	
benzo(k)fluoranthene		ND ND	ND ND	ND ND	. ND	ND	ND ND		ND
chrysene	ļ	ND ND	ND NO	ND ND	400	ND ND	ND ND	ND ND	ND ND
benzo(ghi)perylene		ND ND	ND ND	ND	ND ND	ND	ND	ND ND	ND
fluorene		, ND	ND	600	2000	ND	ND ND	ND	ND ND
4	 	ND ND	ND	1000	2700	ND	ND ND	ND ND	LT
phenanthrene dibenzo(a,h)anthracene	 	ND ND	ND ND	ND	ND ND	ND	ND ND	ND	ND ND
1	-	ND ND	ND	ND ND	ND	ND	ND ND	ND ND	ND ND
Indeno(1,2,3-cd)pyrene	 	ND ND	NO NO	LT	LT	ND ND	ND ND	ND	LT
S. Pyrene		ND ND	ND	ND	ND	ND	ND	ND	ND ND
anitine	 	ND ND	ND	LT	ND ND	ND ND	ND ND	ND ND	ND ND
4-chloroaniline	 	ND ND	ND	1000	3000	ND ND	ND ND	ND ND	ND ND
dibenzofuran	 	ND ND	ND ND	2000	2300	ND ND	ND ND		ND ND
2-methylnaphthalene	 	ND ND	ND ND	4600	2300 ND	ND ND	ND ND	ND ND	ND ND
3-nitroaniline	 		ND ND	ND ND	ND ND	ND ND	ND ND	ND ND	ND ND
benzene	L	ND	L ND	טא ן	טא ן	j NU	I NU	ND ND	I ND

pg/kg - Micrograms per kilogram ND - Not Detected

LT - Present, but lower than the detection limit for low hazard analyses.

SOIL SAMPLES Organics (µg/kg)

Collected by Ecology & Environment, Inc. (7/83)

	Sample Number	B1A	B1B	B2A	B2B	B3A	B3B	B4A	B4B
	Sample Depth(ft)	10 -11.5	17.5 - 19	13.5 - 15.5	17 - 19	10 - 12	13.5 - 15.5	10 - 12	13.5 - 15.5
Organics					•				
d Distriction								We want	
chlorobenzene		ND	ND	ND	ND	ND	ND	10000	40000
1,2-dichloroethane		ND	ND	ND	ND	ND	ND	ND	ND
1,1-dichloroethane		ND	ND	ND	ND	ND	ND	ND	ND
1,1,2,2-tetrachioroethane		ND	ND	ND	ND	ND	ND	ND	ND
1,2-trans-dichloroethene	1580 mm	ND	ND	ND	ND	ND	ND	ND	ND
ethylbenzene	10 1000000000 1000000000000000000000000	ND	ND	ND	ND	ND	ND	ND	ND
methylene chloride	A000.00	ND	ND	7.4	3.7	LM	8	ND	ND
tetrachloroethane		ND	ND	ND	ND	ND	ND	ND	ND
toluene		ND	ND	ND	ND	ND	ND	ND	ND
trichloroethane		ND	ND	ND	ND	ND	ND	ND	ND
acetone		ND	ND	960	ND	ND	977	ND	LM
2-butanone		ND	ND	ND	ND	ND	ND	ND ND	ND
4-methyl-2-pentanone		ND	ND	ND	ND	ND	LT	ND	ND
styrene		ND	ND	ND	ND	ND	ND	ND	ND
o-xylene		ND	ND	ND	ND	ND	ND	_ ND	5100
PCB-1242		ND	ND	ND	2	ND ND	ND		
PCB-1254		ND	ND	ND	ND	ND	ND	-	
PCB-1248		1000	ND	ND	ND	ND	ND		
PCB-1260		ND	ND	485.2	ND	69.6	ND		
PCB-1016		ND	ND	2120.6	ND	ND	ND		
Total PCB		NR	NR	NR	NR	NR	NR	68000	1000000

µg/kg - Micrograms per kilogram

ND - Not Detected

LT - Present, but lower than the detection limit for low hazard analyses

LM - Present, but lower than the detection limit for medium hazard analyses

NR - Total PCBs not reported

⁻⁻ Only PCB Total was reported

Page 3 of 10

SOIL SAMPLES
Organics (µg/kg)
Collected by Ecology & Environment, Inc. (7/83)

							2	500	
	Sample Depth(ft)	13 5-15 5	17 0-19 0	100-120	135-155	10 0-12 0	13 5-15 5	135-155	17 5-19 5
Organics									
2, 3, 7, 8-TCDD		QN	ð	Ð	QN	2	Q	Q	0.11
2, 4, 6-trichlorophenol		130000	26030	2700	4800	2700	9	480000	10000
2-chlorophenol		31000	8400	1600	1600	LT	Q	QN	Q
2, 4-dichlorophenol		000099	260000	17000	15000	6100	Q	1500000	64000
2, 4-dimethyiphenol		Q	9	2000	QN	QV	QN	QN	Q
4. 6-dinitro-2-methylphenol		QN	9	2	ð	9	QV	Q	ð
pentachlorophenol		₽	Ş	Ğ	16000	25000	31000	Q	9
phenol		140000	250000	45000	11000	1800	9	9	9
2-methylphenol		9	2	1400	009	Q	Q	9	Ş
4-methylphenol		Q	36000	7000	1400	ş	9	2	Ş
2. 4. 5-trichlorophenol		Q	2	Ş	Q	ð	9	2	2
acenaphthene		Q	2	Q	Q	Q	9	Ð	Q
1. 2. 4-trichlorobenzene		86000	13000	QN	Ş	2	Ð	120000	S
1. 2-dichiorobenzene		100000	28000	17	Ð	Ş	ð	180000	Ş
1. 4-dichlorobenzene		Q	2	3100	908	ş	9	[1	Ş
Puoranthene		Ş	Ş	S	ð	Q	2	ð	Q
Sophorone		2	2	2	Q	2	Ş	ş	9
naphthalene		Ş	רו	908	17	2	Q	380000	17
nitrobenzene		27000	11000	בַּ	Q	2	QN	62000	Q
N-nitrosodiphenylamine		Q	2	QV	QN	QN	ON	9	Q
bis(2-ethylhexyi)phthalate		Q	2	QN	QN	QN	QV	Q	QN
butyl benzyl phthalate		Q	Q	QV	Q	Q	Q	ON	Q
di-n-butyi phthalate		Q	QN	400	נו	2	2	Q	Ş
di-n-octyl phthalate		ON	QN	QN	ð	Š	Q	Q	Q
diethyl phthalate		Q	Q	QV	Q	2	Q	QV	ON
Denzo(a)anthracene		Q	ð	QN	ON	Q	Q	QV	QN
benzo(a)pyrene		P	Š	Q	Q	Ş	רו	QN	QN
benzo(b)fluoranthene		Q	Q	Q	Q	Q	LT	ON	QN
benzo(k)fluoranthene		QN	Ş	Q	Q	S.	נז	QV	Q
chrysene		Q	QN	ON	Q	Q	ב	Q.	QN
anthracene		Ş	QN	QN	QN	QN	QN	QN	Q
benzo(ghi)perylene		2	Q	Q	QN	QN	QN	Q	QN
fluorene		2	9	QV	ON	QN	ON	Q	QN
phenanthrene		Q	ą	QN	QN	QN	QN	Q	ON
dibenzo(a.h)anthracene		Q	ð	QN	QN	QV	2	Q	2
indeno(1,2,3-cd)ovrene		S	ð	Q.	QN	Q	Q	ð	Q
Dyrene		2	Q	Q	QN	Q	QV	QN	2
anline		Ş	Q	QN	QN	Q	Q	QN	Q
4-chloroaniline		Q	2	0006	QN	2	QN	QV	Ş
dibenzofuran		S	Ş	QV	ON	QN	QV	Q	Q
2-methylnaphthalene		S	ð	Š	ON	Q	QN	Q	QN
Luttmentline		Ş	Ş	Ş	Ç	Ş	Ş	Ş	2
		2	2	2	2	?	?	2	2

benzene
ugkg - Micrograms per kilogram.
ND - Not Detected
LT - Present, but lower than the detection limit for low hazard analyses
LM - Present, but lower than the detection limit for medium hazard analyses

SOIL SAMPLES Organics (µg/kg) Collected by Ecology & Environment, Inc. (7/83)

	Sample Number	B5A	B5B	B6A	B6B	B7A	B7B	B8A	B8B
	Sample Depth(ft)	13.5-15.5	17.0-19.0	10 0-12 0	13.5-15.5	10.0-12.0	13.5-15.5	13.5-15.5	17.5-19.5
Organics									
	2.00				1				
chlorobenzene		18000	27000	100000	8.4	ND	4.2	7100	ND
1,2-dichloroethane		ND	ND	12000	3.4	ND	ND	ND	ND
1,1-dichloroethane		ND_	ND						
1,1,2,2-tetrachloroethane		ND							
1,2-trans-dichloroethene		ND							
ethylbenzene		ND	ND	46000	3.8	ND	4.5	ND	ND
methylene chloride		NĐ	ND	ND	15	86	45	LT	DN
tetrachloroethane		ND	ND	ND	ND	ND	LT	ND	ND
toluene		ND	ND	50000	LT	ND	6.1	ND	ND
trichloroethane		ND	ND	ND	ND	ND	LT	ND	ND
acetone		ND	ND	ND NO	330	200	2600	ND	LM
2-butanone		ND_	ND						
4-methyl-2-pentanone		ND	ND	ND	LT	LT	LT	ND	ND
styrene		ND							
o-xylene		ND ND	ND	140000	13	LT	22	ND	ND
PCB-1242		170000	ND	ND	ND	ND	ND	1700	2700
PCB-1254		360000	ND						
PCB-1248		ND	ND	ND	4700	ND	ND	ND	ND
PCB-1260		ND	ND	ND	ND	590	13000	880	1500
PCB-1016		ND	ND	ND	ND	2300	46000	4D	ND
Total PCB		NR	66000	NR	NR	NR	NR	1318	NR

µg/kg - Micrograms per kilogram

ND Not Detected

NR Fotal PCBs not reported

LT - Present, but lower than the detection limit for low hazard analyses

Page 5 of 10

SOIL SAMPLES
Organics (µg/kg)
Collected by Ecology & Environment, Inc. (7/83)

Dephenol Namol Nenol	Sample Depth(ft)	15.0-17.0	0011 ON 009 011	17 0-19 0	19 0-21 0	17 0-19 0	19.0-21.0	17.0-19.0	190-210
			ON 800			_			
			009 1100						
			009 011						
2.4, 6-trichlorophenol 2-chlorophenol 3, 4-dichlorophenol 4, 6-dimethylphenol 4, 6-dimitro-2-methylphenol phenol 2-methylphenol 4-methylphenol 2-methylphenol 4, 5-trichlorophenol		Q	1100	۵	ð	a.	a.	Q	2
		Ľ	100	48000	840	9	Q	4400	8400
		949		1700	ב	ð	2	1200	520
2. 4-dimethylphenol 4. 8-dinitro-2-methylphenol pentechlorophenol 2-methylphenol 4-methylphenol 2. 4. 5-tichlorophenol		7400	9800	170000	0096	3200	20000	8800	4200
4, 6-dinitro-2-methylphenol pentachlorophenol phenol 2-methylphenol 4-methylphenol 2, 4, 5-tichlorophenol		Š	τı	ND	Q	NO	Q	QV	Q
pentachlorophenol phenol 2-methylphenol 4-methylphenol 2, 4, 5-trichlorophenol		Q	Q	ND	ON	ON	Q	Q	QN
phenoi 2-methylphenoi 4-methylphenoi 2, 4, 5-trichlorophenoi		ð	4800	ð	2200	ð	Ş	24000	920
2-methylphenol 4-methylphenol 2, 4, 5-trichlorophenol		7500	14000	32000	11000	6200	37000	17000	7500
4-methylphenol 2, 4, 5-trichlorophenol		Ş	Q	Q	Q	Q	2	S	Ş
2, 4, 5-trichlorophenol		571	001.0	2700	Ç	S	Ę	900	130
4, 4, 3-thchlorophenoi		3	9		3	2	2		3
		2	2	2	٤	2 !	2	2	2
acenaphthene		9	2	2	2	9	Q	9	Ş
1, 2, 4-trichlorobenzene		Q	Q	11000	Q	Q	NO	\$20	3600
1, 2-dichlorobenzene		2	2	11000	₽	5	9	Q	900
1. 4-dichlorobenzene		ş	ר	27000	QN	5	S	9	1000
fluoranthene		ş	Ş	Ş	ð	Q	Q	Ş	ą
isonborone		Ş	Ş	Ş	9	17000	17	Ş	720
nachthalane		ş	ş	6500	ş	72000	35000	5	3
himbenzene		2	Q	2	<u>Q</u>	9	2	Q	2
N-ntrosodiohenvlamine		Ş	2	2	2	Q	Q	15	9
bis(2-ethylhexyllohthalate		3	Ş	2	9	. \$2000	34000	944	2
butyi benzyi phthalate		ş	ð	9	Ş	1	Q	ð	Q
di-n-butyl phthalate		Ş	1500	LT	Q	23000	17	ð	ş
di-n-octyl phthalate		S	Q	QV	Q	ð	QN	Q	9
diethyl phthalate		נו	840	S	R	õ	Q	9	Q
benzo(a)anthracene		ð	ð	QV	Q	Q	2	Q	Ð
benzo(a)pyrene		Ş	9	2	Q	Q	Ş	Q	Ş
benzo(b)fluoranthene		Q	Q	ON	Q	QV	Q	Q	1000
benzo(k)fluoranthene		ş	ş	QN.	QN	QN	ON	QN	1000
chrysene		Ş	Š	QN	2	6400	9	ð	Q
anthracene		Ş	ş	QV	9	9	₽	Q	9
benzo(ghi)perylene		Q	9	S	Q.	9	9	2	Ş
fluorene		Ş	ş	S	2	ð	Ş	Q	ē
phenanthrana		2	ð	Q	2	2200	Q	Q	2
dibenzo(a,h)anthracene		ş	Ş	ş	₽	ð	Q	ð	2
Indeno(1.2,3-cd)ovrene		Ş	ş	2	Q	9	Q	ð	9
Dvrene		Ş	ş	9	9	2600	Q	ð	2
PAILINE		2	ş	2	₽	2	Q	S	9
4-chloroaniline	e	ð	ą	ð	ş	Q	Ş	Ş	רו
dibenzofuran		Ş	ş	9	Q	Ş	Q	Ş	S
2-methylnaphthalene		Ş	ş	9	Q	10000	QN	ş	Ş
3-nitroaniline		Ş	Ş	QN	ã	S	Q.	Q	QN
benzane		Ş	9	E.	2	Ş	Q	ð	2

yokg - Micrograms per kilogram

ND - Not Detected

LT - Present, but lower than the detection limit for low hazard analyses

LM - Present, but lower than the detection limit for medium hazard analyses

P - The sample could not be cleaned up sufficiently to yelid TCDD results.

SOIL SAMPLES Organics (µg/kg)

Collected by Ecology & Environment, Inc. (7/83)

	Sample Number	B9A	898	B10A	B10B	B11A	B11B	B12A	B12B
	Sample Depth(ft)	15.0-17.0	17.0-19.0	15.0-17.0	17.0-19.0	15.0-17 0	17.0-19.0	15.0-17.0	17.0-19.0
Organics									
chiorobenzene	1000 S	ND	ND	5200	ND	LM	ND	ND	ND
1,2-dichloroethane		ND							
1,1-dichloroethane		ND	ND	ND	ND ND	ND	ND	ND	ND
1,1,2,2-tetrachloroethane		ND							
1,2-trans-dichloroethene		ND							
ethylbenzene		ND	ND	6500	ND	220000	ON	ND	ND
methylene chloride	10.00	3.3	300	8700	LT	ND	ND	LT	ND
tetrachloroethane		ND							
toluene		ND	ND	130000	ND	1300000	100000	ND	LM
trichloroethane		ND	ND	ND	ND	42000	NĎ	ND	ND
acetone		210	14000	ND	4400	ND ND	ND	ND	ND
2-butanone		ND							
4-methyl-2-pentanone		ND	ND	ND	ND	ND	ND	LT	ND
styrene		ND							
o-xylene		ND	ND	30000	ND	650000	70000	ND	LM
PCB-1242		600	ND	NA	ND	ND	ND ND	ND	ND
PCB-1254		ND	ND	NA	ND	ND ND	ND	ND	ND
PCB-1248		ND	ND	NA	ND	38000	70000	ND	ND
PCB-1260		1500	1300	NA	120	45000	681000	7000	5000
PCB-1016		ND	ND	NA NA	78	ND	ND	2200	3900
Total PCB	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	NR							

μg/kg - Micrograms per kilogram ND - Not Detected

NA - Not Analyzed

£T. Present, but lower than the detection limit for low hazard analyses

NR Total PCBs not reported

SOIL SAMPLES Organics (µg/kg)

Collected by Ecology & Environment, Inc. (7/83)

	Sample Number	B13A	B13B	B14A	B148	B15A	B15B	B16A	B17A
	Sample Depth(ft)	17.0-19 0	19.0-21.0	17 0-19 0	19 0-21 0	22 0-24 0	24 0-26 0	22 0-24 0	22.0-24.0
Organics									
					P			ļ	
2, 3, 7, 8-TCDD		ND	ND	Р		ND	ND	ND	ND
2, 4, 6-trichiorophenol		20000	460 0	ND	ND	800	1900	7700	6400
2-chlorophenol		2500	3800	ND ND	ND	600	1600	4600	100000
2, 4-dichlorophenol		9400	11000	460000	ND	ND	11000	27000	120000
2, 4-dimethylphenol		ND	LT	ND	ND	ND	ND	680	ND
4, 6-dinitro-2-methylphenol		LŤ	ND	ND	ND	ND	ND ND	ND	ND
pentachlorophenol		12000	44000	ND	16000	4200	12000	39000	26000
phenol		8900	15000	ND	ND	6000	13000	16000	50000
2-methylphenol		ND	ND	ND	ND	ND	ND	ND	ND
4-methylphenol		920	1400	ND	16000	ND	1000	1900	9200
2, 4, 5-trichlorophenol		ND	ND	ND	ND	ND -	ND	LT	ND
acenaphthene		ND	ND	ND	ND	ND	ND ND	ND	· ND
1, 2, 4-trichlorobenzene		2400	3000	13000000	2000000	ND	ND ND	ND	ND.
1, 2-dichlorobenzene		ND	ND	620000	55000	ND	ND	LT	ND
1, 4-dichlorobenzene		1300	2000	1200000	100000	ND	1600	4100	ND
Ruoranthene		ND	ND	ND	ND	ND	ND	ND ND	ND
isophorone		ND	ND	ND	14000	ND	ND	ND	ND
naphthalene		ND	LT	210000	20000	ND	720	2000	ND
nitrobenzene		ND	ND	ND	ND	ND	ND	ND	ND
N-nitrosodiphenylamine		ND	400	ND	ND	ND	ND	ND	ND
bis(2-ethylhexyl)phthalate		ND	ND	1100000	220000	ND	ND	ND	4600
butyl benzyl phthalate		ND	ND	ND	LT	ND	LT	ND	ND
di-n-butyl phthalate		ND	LT	900000	49000	LT	3800	ND	ND
di-n-octyl phthalate		ND	LT	ND	ND ND	ND	ND	ND	ND
diethyl phthalate		NO	ND	ND	ND	ND	LT	DN	ND
benzo(a)anthracene		ND	ND	ND	ND	ND	ND	ND	ND
benzo(a)pyrene		LT	ND	ND	ND	ND	ND	ND	ND
benzo(b)fluoranthene		1300"	ND	ND	ND	ND	ND	ND	ND
benzo(k)fluoranthene		1300"	ND	ND	ND	ND	ND	ND	ND
chrysene		ND	ND	ND	ND	ND	ND	ND	ND
anthracene		ND	ND	ND	ND	ND	ND	ND	ND
benzo(ghi)perylene		880	ND	ND	ND	ND	ND	ND	ND
fluorene		ND	ND	ND	ND	ND	ND	ND	ND
phenanthrene		ND	ND	ND	ND	ND	ND	ND	ND
dibenzo(a,h)anthracene		LT	, ND	ND	ND	ND	ND	ND	ND
indeno(1,2,3-cd)pyrene		LT	ND	ND	ND	ND	ND	ND	ND
pyrene		ND ND	ND	ND	ND.	ND	ND	ND	ND
aniline		ND	ND	ND	ND	ND	ND	680	ND
4-chloroaniline		LT	2200	ND	ND	ND	ND	9600	ND
dibenzofuran		ND ND	ND	ND ND	ND	ND	ND	ND	ND
		ND ND	ND	ND	LT	ND	ND	ND	ND
2-methylnaphthalene									ND ND
3-nitroaniline		ND	ND	ND	ND	ND	ND I	ND I	

µg/kg - Micrograms per kilogram.

ND - Not Detected

LT - Present, but lower than the detection limit for low hazard analyses.

P - The sample could not be cleaned up sufficiently to yelld TCDD results

SOIL SAMPLES Organics (µg/kg) Collected by Ecology & Environment, Inc. (7/83)

	Sample Number	B13A	B13B	B14A	B14B	B15A	B15B	B16A	B17A
	Sample Depth(ft)	17.0-19.0	19 0-21 0	17.0-19 0	19.0-21.0	22.0-24.0	24.0-26.0	22.0-24.0	22.0-24 0
Organics									
								11	
chlorobenzene	- 0.000000 - 0.00000	ND ND	ND	63000	LM	ND	ND	ND	ND
1,2-dichloroethane		ND ND	ND	ND	ND	ND	ND	ND	ND
1,1-dichloroethane		ND	ND	19000	ND	ND	ND	ND	ND
1,1,2,2-tetrachioroethane		ND	ND	5700	ND	ND	ND	ND	ND
1,2-trans-dichloroethene		ND	ND	11000	ND	ND	ND	ND	ND
ethyibenzene		ND	ND	790000	330000	ND	LT	ND	ND
methylene chloride		50	13	5800	ND	2.5	23_	ND	LM
tetrachioroethane		ND	ND	12000	ND	ND	ND	ND	ND
toluene		ND	ND	2400000	540000	ND	ND	ND	ND
trichloroethane		ND	ND	55000	ND	ND	ND	ND	ND
acetone		90	430	ND	ND	540	1400	ND	ND
2-butanone		ND	ND	LM	ND ND	ND	ND	ND	ND
4-methyl-2-pentanone		ND	LT	250000	ND	LT	ND	ND	ND
styrene		ND	ND	ND	64000	4.2	5.3	ND	ND.
o-xylene		ND.	ND	2300000	1400000	ND	LT	ND	ND
PCB-1242		ND	ND ND	ND	ND ND	ND ND	5000	ND	ND
PCB-1254		ND							
PCB-1248		ND	ND_	ND	ND	ND	ND	ND	ND
PCB-1260		770	1300	2900009	16000000	190	1000	370	68
PCB-1016		ND	ND	ND	ND	210	ND	ND	ND
Total PCB		NR							

µg/kg - Micrograms per kilogram

ND - Not Detected

NA - Not Analyzed

NR Total PCBs not reported

LT Present, but lower than the detection limit for low hazard analyses

LM - Present, but lower than the detection limit for medium hazard analyses

SOIL SAMPLES Organics (µg/kg) Collected by Ecology & Environment, Inc. (7/83)

	Sample Number	B17B	B18A	B18B	BLANK 1	BLANK 2	Maximum
Organics 2, 3, 7, 8-TCDD 2, 4, 6-trichlorophenol	Sample Depth(ft)	24 0-26 0	22 0-24 0	24 0-26 0	NA NA	NA NA	Concentration
Organics	· · · · · · · · · · · · · · · · · · ·						
	<u> </u>						
2, 3, 7, 8-TCDD		ND	ND	ND	ND	ND	3.31
2, 4, 6-trichlorophenol		ND	ND	ND	ND	ND	ND
2-chlorophenol		ND	ND	ND	ND	ND	ND
2, 4-dichlorophenol		ND	ND	ND	ND	ND	ND
2, 4-dimethylphenoi		3800	ND	ND	ND	ND	72000
4, 6-dinitro-2-methylphenoi		ND	ND	ND	ND	ND	ND
pentachlorophenol		ND	ND	ND	ND	ND	ND
phenol		ND	ND	ND	ND	ND	ND
2-methylphenol		ND	ND	ND	ND	ND	1400
4-methylphenol		ND	ND	ND	ND	ND	ND
2, 4, 5-trichlorophenol		ND	ND	ND	ND	ND	ND
acenaphthene		ND	ND	ND	ND	ND	2800
1, 2, 4-trichlorobenzene		ND	ND	ND	ND	ND	ND
1, 2-dichlorobenzene		ND	ND	ND	ND	ND	ND
1, 4-dichlorobenzene		550	ND	LT	ND	D	1200000
fluoranthene		ND	ND	PD PD	ND	1000	1200
Isophorone		ND	ND	ND	ND	DA	17000
naphthalene		ND	NO	ND	ND	ND	ND
nitrobenzene		ND	ND	D	ND	ND	56000
N-nitrosodiphenylamine		ND	ND	ND	ND -	ND	400
bis(2-ethylhexyl)phthalate		580	910	1400	LT	ND	1100000
butył benzył phthalate		ND	ND	ND	ΝĎ	ND	ND.
di-n-butyl phthalate		ND .	ND	LŤ	ND	ND	900000
di-n-octyl phthalate		ND	LT	ND	ND	ND	ND
diethyl phthalate		ND	ND	ND	ND	ND	840
benzo(a)anthracene		ND	520	ND	ND	600	600
benzo(a)pyrene		ND	ND	ND	ND	LT	ND
benzo(b)fluoranthene		ND	LT	ND	ND	LT	1000
benzo(k)fluoranthene		ND	LŤ	NĎ	ND	LT	1000
chrysene		ND	640	ND	ND	560	6400
anthracene		ND	ND	ND '	ND	ND	400
benzo(ghi)perylene		ND	ND ND	ND	ND	ND	880
fluorene phenanthrene dibenzo(a,h)anthracene		ND	ND	ND ND	ND	ND	2000
phenanthrene	ļ	ND	ND	ND	ND	720	5200
dibenzo(a,h)anthracene		ND	ND	ND	ND	ND	ND
indeno(1,2,3-cd)pyrene	ļ	ND	ND ND	ND ND	ND	ND	ND
pyrene		ND	LT	ND	ND	800	5800
aniline		51000	1700	ND	ND	ND	51000
4-chloroaniline		ND	960	ND	ND	ND	9600
dibenzofuran		ND	ND	ND	ND	ND	3000
2-methylnaphthalene		ND ND	ND	ND	ND	ND	10000
3-nitroaniline		ND	ND	ND	ND	ND	4600
benzene		ND	ND	ND	ND	NĎ	44000

µg/kg - Micrograms per kilogram.

ND - Not Detected

LT - Present, but lower than the detection limit for low hazard analyses.

SOIL SAMPLES Organics (µg/kg) Collected by Ecology & Environment, Inc. (7/83)

	Sample Number	B17B	B18A	B18B	BLANK 1	BLANK 2	Maximum
	Sample Depth(ft)	24.0-26.0	22.0-24.0	24.0-26.0	NA	NA	Concentration
Organics							
chlorobenzene		4.1	ND	ND	ND	ND	100000
1,2-dichloroethane		ND	ND	ND	ND_	ND	12000
1,1-dichloroethane		ND	ND	ND	ND ND	D	19000
1,1,2,2-tetrachloroethane		ND	ND	ND	ND	ND	5700
1,2-trans-dichloroethene		ND	ND	ND	ND	ND	11000
ethylbenzene		7.7	ND	ND	ND	ND	790000
methylene chloride		6.1	19	47	LM	6.9	8700
tetrachioroethane		ND	ND	ND	ND	ND	12000
toluene		ND	ND	ND	ND	ND	2400000
trichloroethane		ND	ND	ND	ND	ND	55000
acetone		2000	ND	260	ND	ND	14000
2-butanone		ND	ND	ND	ND	ND	ND
4-methyl-2-pentanone		ND	ND	ND	ND	ND	250000
styrene		ND	ND	ND	ND	ND	64000
o-xylene		23	ND	ND	ND	ND	2300000
PCB-1242		ND		ND	ND	ND	ND
PCB-1254		ND		ND	ND	ND	360000
PCB-1248		ND		ND	ND	ND	70000
PCB-1260		160		2400	ND	260	16000000
PCB-1016		ND		ND	ND	ND	ND
Total PCB		NR	670	NR	NR	NR	1000000

µg/kg - Micrograms per kilogram. ND - Not Detected

LM - Present, but lower than the detection limit for medium hazard analyses

NR - Total PCBs not reported.

- Only PCB Total was reported




FIGURE Q-2
USEPA - FIT SUBSURFACE SOIL SAMPLING LOCATIONS AT SITE Q

LOCATION MAP - Borings B-1 through B-18

SURFACE WATER, LEACHATE, GROUNDWATER SAMPLES

Total Metals and Misc.(mg/L unless otherwise noted) Collected by IEPA

	Sample Number	P-1	L-1	GW-1	GW-2	P-2	P-3	Maximum
	Sample Type	Pond water	Leachate	Groundwater	Groundwater	Pond water	Pond water	Concentration
	Date Collected	10/17/72	10/17/72	1/17/73	1/17/73	4/10/73	4/26/73	Detected
Metals								
Calcium		80	56	310	137	250	280	310
Magnesium		8	26	57	205	42	44	205
Sodium		23	169	275	13	230	205	275
Potassium		6	30	10	4	85	70	85
Ammonia		0.19	21	NA NA	NA NA	32	36	36
Boron	 	7	6.5	NA.	NA NA	2.6	2.8	7
Cadmium		ND	ND	0.02	ND	NA NA	0.02	0.02
Chromium (total)		ND	ND	ND	ND	NA NA	0.03	0.03
Copper		ND	0.01	ND	ND	0.02	ND	0.02
Iron		ND	46	ND	ND	60	67	67
Lead		ND	0.02	ND	ND	0.07	0.07	0.07
Manganese		ND	ND	ND	ND	6	6.5	6.5
Mercury (µg/L A28)		0.5	0.5	ND	ND	0.4	0.6	0.6
Nickel		ND	ND	ND	ND	0.3	0.2	0.3
Silver		ND	ND	0.01	ND	ND	ND	0.01
Zinc		ND	0.2	ND	0.1	4.2	5	5
Alkalinity	<u> </u>	46	810	645	375	420	ND	810
Chloride		19	4	310	24	210	205	310
Nitrate		NA	NA	NA NA	NA	NA	ND	ND
Phosphate		NA	NA	NA NA	NA	3.7	5	5
Sulfate		230	18	325	25	350	270	350
Hardness		240	560	NA NA	NA	970	930	970
Phenois		NA	NA NA	0.02	ND	NA	NA NA	0.02

mg/L - Milligrams per liter.

ND - Not detected.

pg/L - Micrograms per liter.




FIGURE 9-1 DEAD CREEK SITE AREA 9 WITH SAMPLING LOCATIONS

recycled paper

ecology and environment

LEACHATE SAMPLES Total Metals, PCB and Misc.(mg/L unless otherwise noted) Collected by IEPA

	Sample Number	L-1	L-2	L101	L012	L103	Maximum
	Date Collected	10/28/81	10/28/81	9/29/83	9/29/83	9/29/83	Concentratio
Metals, PCB and Misc.							Detected
Alkalinity		255	293	191	158	242	293
Ammonia		3.8	2.8	6.5	4	3.7	6.5
Arsenic		0.057	0.022	0.11	0.034	0.012	0.11
Barium	 	0.8	0.2	0.5	0.4	0.3	0.8
Boron		5.8	5.6	37.5	42	23	42
Cadmium		ND	ND	ND	ND	ND	ND
COD		445	35	87	94	71	445
Chloride		15	17	23	22	31	31
Chromium (total)		0.08	ND	0.03	0.01	ND	0.08
Copper		0.2	0.04	1.2	0.06	ND	1.2
Cyanide		ND	ND	ND	0.01	0.01	0.01
Hardness		1330	1220	1225	1360	1045	1360
Iron		207	17.5	86	36	6.4	207
Lead		0.26	ND	0.13	0.08	0.02	0.26
Magnesium		145	67	81	73	44.5	145
Manganese		7.7	34	6.7	6.8	2.7	34
Mercury		ND	ND	ND	ND	ND	ND
Nickel		0.3	ND	0.1	0.1	ND	0.3
Nitrate		0.24	0.4	0.21	6.1	1.8	6.1
Phosphorus		6.1	0.74	3.1	1.3	0.86	6.1
Potassium		16.5	9.5	13.4	13.5	17	17
R.O.E.		1980	1829	1880	2118	1563	2118
Silver		0.02	0.01	0.01	ND	ND	0.02
Sodium		55.7	53.3	56	70	51	70
Sulfate		1196	1059	1200	1350	900	1350
Zinc		1.2	0.2	0.3	0.2	ND	1.2
Phenol		0.005	0.005	ND	ND	ND	0.005
PCBs (µg/L)		0.7	1	0.5	DA	0.1	1
2,3-D (µg/L)		ND	ND	ND	ND	ND	ND

recycled paper

Source: "Description of Current Situation at the Dead Creek Project Sites", E&E, 1986

FIGURE Q-1
DEAD CREEK SITE AREA Q WITH SAMPLING LOCATIONS

SOIL/SEDIMENT SAMPLES Metals (mg/kg)

Collected by START (1997)

<u>.</u>										
	Sample Number	Q201	Q202	Q203	Q204	Q205	Q206	Q207	Q208	Maximum
Metal										Concentration
Arsenic		6.9	9.4	4.7	32.0	4.8	3.4	7.3	0.19	32
Barlum		191	232	135	969	128	70.6	169	416	969
Cadmium		0.15	4.4	1.2	20.8	5.0	3.1	0.67	130	130
Chromium (total)		10.3	15.9	11.0	125	304	13.3	17.4	3900	3900
Lead		28.7	92.4	128	2450	102	139	47.8	2300	2450
Mercury		0.18	1.6	0.08	0.42	0.15	0.28	0.16	12.2	12.2
Selenium		1.0	1.9	1.1	0.62	1.3	0.76	1.4	8.1	8.1
Silver		0.36	0.71	1.4	18.7	0.40	0.37	0.32	0.80	18.7

mg/kg - Milligrams per kilogram.

7

SOIL/SEDIMENT SAMPLES PCB (mg/kg) Collected by START (1997)

	Sample Number	Q201	Q202	Q203	Q204	Q205	Q206	Q207	Q208	Maximum
PCB										Concentration
1254		0.72	1.7	0.88	1.8	0.034	4.2	1.6	ND	4.2
1248		0.48	1.6	ND	0.92	ND	2.6	ND	120	120
1260		0.61	0.76	0.11	1.1	0.028	1.9	1.8	ND	1.9

mg/kg - Milligrams per kilogram.

ND - Not detected.